



CATALOGUE



Table of Content

Company Profile.....	1
Certificates.....	2
Products.....	3
Material	4
Bonded Seals: GM500 Series	5
Bonded Seals: GM500 Self Centering Series.....	11
Bonded Seals: GM1000 Series	13
Bonded Seals: GM2000 Series	14
Bonded Seals: GM600 Series	15
Bonded Seals: GM610 Series	16
Bonded Seals: GM7500 Series	17
Valve Stem Seals	18

About AOK

We are founded in 1995 and located in Nantou, Taiwan. We specialize in producing valve stem seals and bonded seals. Besides, we can also produce customized products including O-rings and Rubber-Metal Parts.



Profession

We have more than 20 years of experience in producing oil seals and we have the ability to design, manufacture, and produce tooling by ourselves in our factory. Therefore, our products are with good quality and competitive price.

Good reputation

Our products are sold all over the world and we have earned good reputation due to our high quality products and good service.





Certificate of Registration

This certificate has been awarded to

Aok Valve Stem Seals Ltd.

No. 24-6, Nangang 3rd Rd., Nantou City, 54067, Taiwan

In recognition of the organization's Quality Management System which complies with

ISO 9001:2015

The scope of activities covered by this certificate is defined below

Design and Manufacture of Oil Seals and Bushing.

Certificate Number: 32973/EE/0001/SM/En
Date of Issue: (Original) 14 September 2018
Date of Issue: 14 September 2018
Issue No: 1
Expiry Date: 13 September 2021

Issued by:

[Signature]

On behalf of the Schemes Manager



Where it is not stated on the authority of this certificate, please do not hesitate to contact the Head Office of the Group on 0800 000 0000. URS is a member of United Register of Quality Standards Ltd. (URS) House, 24th Floor, Birmingham, B15 2SQ, UK. Company Registration no. 5288488

Page 1 of 1

ISO 9001:2015



Certificate of Registration

This certificate has been awarded to

Aok Valve Stem Seals Ltd.

No. 24-6, Nangang 3rd Rd., Nantou City, 54067, Taiwan

In recognition of the organization's Quality Management System which complies with

IATF 16949:2016

The scope of activities covered by this certificate is defined below

Design and Manufacture of Oil Seals and Bushing.

Certificate Number: 32973/E/0001/SM/En
Date of Issue: (Original) 14 September 2018
Date of Issue: 14 September 2018
Issue No: 1
Expiry Date: 13 September 2021
IATF No: 0332629

Issued by:

[Signature]

On behalf of the Schemes Manager



Where it is not stated on the authority of this certificate, please do not hesitate to contact the Head Office of the Group on 0800 000 0000. URS is a member of United Register of Quality Standards Ltd. (URS) House, 24th Floor, Birmingham, B15 2SQ, UK. Company Registration no. 5288488

Page 1 of 1

IATF 16949:2016



Certificate of Registration

This certificate has been awarded to

Aok Valve Stem Seals Ltd.

No. 24-6, Nangang 3rd Rd., Nantou City, 54067, Taiwan

In recognition of the organization's Health and Safety Management System which complies with

ISO 45001:2018

The scope of activities covered by this certificate is defined below

Manufacture of Valve Stem Seal and Bonded Seal.

Certificate Number: 32973/C/0001/UK/En
Date of Issue: (Original) 05 November 2015
Date of Issue: 05 November 2018
Issue No: 2
Expiry Date: 04 November 2021

Issued by:

[Signature]

On behalf of the Schemes Manager



Where it is not stated on the authority of this certificate, please do not hesitate to contact the Head Office of the Group on 0800 000 0000. URS is a member of United Register of Quality Standards Ltd. (URS) House, 24th Floor, Birmingham, B15 2SQ, UK. Company Registration no. 5288488

Page 1 of 1

ISO 45001:2018



Certificate of Registration

This certificate has been awarded to

Aok Valve Stem Seals Ltd.

No. 24-6, Nangang 3rd Rd., Nantou City, 54067, Taiwan

In recognition of the organization's Environmental Management System which complies with

ISO 14001:2015

The scope of activities covered by this certificate is defined below

Manufacture of Valve Stem Seal and Bonded Seal.

Certificate Number: 32973/D/0001/UK/En
Date of Issue: (Original) 07 November 2015
Date of Issue: 07 November 2018
Issue No: 2
Expiry Date: 06 November 2021

Issued by:

[Signature]

On behalf of the Schemes Manager



Where it is not stated on the authority of this certificate, please do not hesitate to contact the Head Office of the Group on 0800 000 0000. URS is a member of United Register of Quality Standards Ltd. (URS) House, 24th Floor, Birmingham, B15 2SQ, UK. Company Registration no. 5288488

Page 1 of 1

ISO 14001:2015



PRODUCTS

Material

Rubber

- Natural Rubber (NR)
- Silicone Rubber (SI)
- Polyacrylate Rubber (ACM)
- Fluorocarbon Rubber (FPM)
- Polychloroprene Rubber (CR)
- Nitrile Butadiene Rubber (NBR)
- Ethylene Propylene Rubber (EPDM)
- Hydrogenated Nitrile Rubber (HNBR)




Metal


- Brass
- Copper
- SUS 304
- SUS 316
- JIS G3141
- JIS G3311
- Aluminum 5052
- Aluminum 6061

❖ *If you have any other material specification, please feel free to contact us.*


Bonded Seals

GM500 Series						
						
THREAD SIZE		Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10
INCH	BSP					
6BA		#001	W2118	3.05	6.35	1.20
4BA		#002	W2181	4.12	7.26	1.20
2BA		#003	W2127	5.21	8.38	1.20
1/4		#004	W2183	6.86	13.21	1.20
1/4		#005	W2184	6.99	13.34	1.20
5/16		#006	W2104	8.31	13.34	1.20
5/16		#007	W2001	8.64	14.22	1.20
40		#008	W2204	11.26	18.36	2.00
7/16		#009	W2090	11.69	19.05	2.00
9/16		#010	W2161	14.86	22.23	2.00
5/8		#011	W2043	16.51	25.40	2.00
11/16		#012	W2130	18.16	25.40	2.50
15/16		#013	W2278	24.26	33.27	2.50
1 + 1/8		#014	W2279	29.33	36.58	2.50
1 + 1/4		#015	W2200	32.64	41.40	3.20
1 + 3/8		#016	W2170	35.94	44.45	3.20
1 + 1/2		#017	W2163	38.96	47.75	3.20
1 + 3/4		#018	W2280	45.34	57.15	3.20
2		#019	W2201	51.69	63.50	3.20
3/8	1/8	#020	W2027	10.37	15.88	2.00
1/2	1/4	#021	W2021	13.74	20.57	2.00
60		#022	W2113	15.83	22.23	2.00
	3/8	#023	W2028	17.28	23.80	2.00

Bonded Seals

GM500 Series						
						
THREAD SIZE		Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10
INCH	BSP					
3/4		#024	W2173	19.69	26.92	2.50
13/16	1/2	#025	W2020	21.54	28.58	2.50
7/8	5/8	#026	W2047	23.49	31.75	2.50
1	3/4	#027	W2022	27.05	34.93	2.50
1+1/16		#028	W2197	27.82	38.61	2.50
1+3/16	7/8	#029	W2056	30.81	38.10	2.50
		#030 (H2.5)	W2048	33.89	42.80	2.50
1+5/16	1	#030 (H3.2)	W2057	33.89	42.80	3.20
1+5/16	1	#031	W2048	33.89	42.80	2.50
		#032 (H2.5)	W2050	42.93	52.38	2.50
1+5/8	1+1/4	#032 (H3.2)	W2059	42.93	52.38	3.20
		#033 (H2.5)	W2052	48.44	58.60	2.50
1+7/8	1+1/2	#033(H3.2)	W2072	48.44	58.60	3.20
2+1/8		#034	W2212	54.89	69.85	3.20
2+1/4		#035	W2214	58.04	70.36	3.20
		#036(H2.5)	W2054	60.58	73.03	2.50
	2	#036(H3.2)	W2061	60.58	73.03	3.20
2+1/2		#037	W2282	64.39	77.72	3.20
	2+1/4	#038	W2283	66.68	79.50	3.20
			W2284	76.08	90.17	3.20


Bonded Seals

GM500 Series					
					
THREAD SIZE	Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10
M3.5	#201	W2182	4.10	7.20	1.00
M4	#202	W2040	4.50	7.00	1.00
M5	#203	W2064	5.70	9.00	1.00
M5	#204	W2185	5.70	10.00	1.00
M5.5	#205	W2106	6.20	9.20	1.00
M6	#206	W2073	6.70	10.00	1.00
M6	#207	W2091	6.70	11.00	1.00
M6.5	#209	W2137	7.10	12.00	1.00
M6.7	#210	W2186	7.30	10.20	1.00
M8	#211	W2131	8.50	13.40	1.00
M8	#212	W2041	8.70	13.00	1.00
M8	#213	W2081	8.70	14.00	1.00
M8	#214	W2119	8.70	16.00	1.00
M8.5	#215	W2019	9.30	13.30	1.00
M10	#216	W2123	10.35	16.00	2.00
M10	#217	W2093	10.70	16.00	1.50
M10	#218	W2102	10.70	18.00	1.50
M11	#219	W2194	11.40	16.30	1.50
M11	#220	W2191	11.80	18.50	1.50
M11	#221	W2092	11.80	19.10	1.50
M12	#222	W2084	12.70	18.00	1.50
M12	#223	W2077	12.70	20.00	1.50
M13	#224	W2206	13.70	20.00	1.50


Bonded Seals


GM500 Series					
 					
THREAD SIZE	Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10
M13	#225	W2286	13.70	22.00	1.50
M13.5	#226	W2083	14.00	18.70	1.50
M14	#227	W2094	14.70	22.00	1.50
M15	#228	W2042	16.00	22.70	1.50
M16	#229	W2095	16.70	24.00	1.50
M17	#230	W2168	17.40	24.00	1.50
M17.5	#231	W2085	18.00	24.70	1.50
M18	#232	W2096	18.70	26.00	1.50
M20	#233	W2097	20.70	28.00	1.50
M21	#234	W2138	21.50	28.70	2.50
M22	#235	W2223	22.50	28.00	1.50
M22	#236	W2098	22.70	30.00	2.00
M22	#237	W2099	22.70	30.00	3.00
M24	#238	W2100	24.70	32.00	2.00
M26	#239	W2101	26.70	35.00	2.00
M27	#240	W2189	27.20	36.00	2.00
M28	#241	W2190	28.70	37.00	2.00
M30	#242	W2202	31.00	39.00	2.00
M33	#243	W2105	33.70	42.00	2.00
M33	#244	W2287	34.30	43.00	2.00
M36	#245	W2203	36.70	46.00	2.00
M39	#246	W2198	40.00	51.00	2.50
M42	#247	W2215	42.70	53.00	3.00
M48	#248	W2288	48.70	59.00	3.00
M51	#249	W2289	52.00	60.00	3.00

Bonded Seals


GM500 Series					
					
THREAD SIZE	Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10
M3	#301	W2070	3.60	7.50	1.00
M4	#302	W2187	4.60	9.00	1.00
M5	#303	W2071	5.60	10.00	1.00
M6	#304	W2188	6.60	11.00	1.00
M6	#305	W2238	6.85	13.27	1.30
M6	#306	W2128	7.00	11.40	1.00
M8	#307	W2115	8.60	13.00	1.00
M10	#310	W2037	10.70	17.00	1.50
M11	#312	W2116	11.80	18.10	1.50
M12	#313	W2108	12.70	19.00	1.50
M13	#315	W2120	13.80	20.10	1.50
M14	#316	W2121	14.70	21.00	1.50
M16	#317	W2129	16.70	23.00	1.50
M18	#320	W2136	18.70	27.00	2.00
M20	#321	W2124	20.70	29.00	2.00
M21	#323	W2172	21.70	30.00	2.00
M22	#324	W2144	22.70	31.00	2.00
M23	#325	W2192	23.70	32.00	2.00
M24	#326	W2145	24.70	33.00	2.00
M26	#327	W2193	27.00	35.30	2.00
M27	#328	W2295	27.70	36.00	2.00
M28	#329	W2162	28.60	36.00	2.00
M28.5	#330	W2296	29.20	37.50	2.00
M30	#331	W2239	30.70	39.00	2.00
M52	#250	W2216	53.30	64.5	3.00
M60	#251	W2205	60.70	73.00	3.00

Bonded Seals

GM500 Series					
					
THREAD SIZE	Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10
M33	#332	W2105	33.70	42	2.00
M36	#333	W2298	37.00	48.00	2.50
M39	#334	W2299	40.00	51.00	2.50
M42	#335	W2117	43.00	54.00	2.50
M45	#336	W2300	46.00	57.00	2.50
M48	#337	W2255	49.00	60.00	2.50


GM500 Series					
					
THREAD SIZE	Part No.	AOK No.	ID + 0.20	OD - 0.20	H ± 0.10
INCH					
1/8	#510	W2243	10.40	14.7	1.20
1/4	#511	W2111	13.85	18.70	1.20
3/8	#512	W2109	17.35	22.70	1.20
1/2	#513	W2122	21.65	26.70	1.20
3/4	#514	W2208	27.30	32.50	1.20
1	#515	W2207	34.20	39.50	2.00
1.25	#516	W2164	42.80	49.50	2.00
1.5	#517	W2303	48.70	55.50	2.00
2	#518	W2304	60.50	68.50	2.00
1/16	#519	W2305	8.30	12.70	1.20

Bonded Seals

GM500 Self Centering Series						
						
THREAD SIZE	Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10	F ± 0.20
M10	#708	W2032	10.70	16.08	1.50	8.05
1/8 BSP	#820-A	W2018	10.37	15.88	2.00	8.56
	#820-B	W2209	10.37	15.88	2.00	8.26
1/4 BSP	#821-A	W2014	13.74	20.57	2.00	11.45
	#821-B	W2210	13.74	20.57	2.00	11.18
	#010 (SC)	W2165	14.86	22.23	2.00	11.58
3/8	#011 (SC)	W2167	16.51	25.40	2.00	12.90
3/8 BSP	#823-A	W2015	17.28	23.80	2.00	14.96
	#823-B	W2211	17.28	23.80	2.00	14.76
	#024 (SC)	W2166	19.69	26.92	2.50	15.80
1/2 BSP	#825-A	W2017	21.54	28.58	2.50	18.64
	#825-B	W2063	21.54	28.58	2.50	18.24
5/8 BSP	#826	W2087	23.49	31.75	2.50	20.27
3/4 BSP	#827-A	W2023	27.05	34.93	2.50	24.13
	#827-B	W2089	27.05	34.93	2.50	23.83
M27	#240 (SC)	W2222	27.20	36.00	2.00	24.30
7/8 BSP	#829	W2088	30.81	38.10	2.50	27.51
1 BSP	#830 (H2.5)	W2049	33.89	42.80	2.50	30.30
	#830 (H3.2)	W2058	33.89	42.80	3.20	29.92
1 1/4 BSP	#832 (H2.5)	W2051	42.93	52.38	2.50	38.92
	#832(H3.2)	W2060	42.93	52.38	3.20	38.45
1 1/2 BSP	#833(H2.5)	W2053	48.44	58.60	2.50	44.86
	#833(H3.2)	W2068	48.44	58.60	3.20	44.45
1 3/4 BSP	#834	W2213	54.89	69.85	3.20	50.42
2 BSP	#836(H2.5)	W2055	60.58	73.03	2.50	56.67
	#836(H3.2)	W2062	60.58	73.03	3.20	56.26
2 1/4 BSP	#838	W2306	66.68	79.50	3.20	62.36
2 1/2 BSP	#839	W2307	76.08	90.17	3.20	71.50

Note: SC=Self Centering / H=height


Bonded Seals

GM500 Self Centering Series						
						
THREAD SIZE	Part No.	AOK No.	ID ±0.10	OD +0.13 / - 0	H ± 0.10	F ± 0.20
M5	#203 (SC)	W2016	5.70	9.00	1.00	4.50
M5	#204 (SC)	W2254	5.70	10.00	1.00	4.50
M6	#206 (SC)	W2230	6.70	10.00	1.00	4.70
M6	#207 (SC)	W2253	6.70	11.00	1.00	4.70
M8	#212 (SC)	W2231	8.70	13.00	1.00	6.40
M8	#866	W2033	8.70	14	1.00	6.40
M10	#217 (SC)	W2235	10.70	16.00	1.50	8.05
M10	#218 (SC)	W2246	10.70	18.00	1.50	8.05
M12	#222 (SC)	W2232	12.70	18.00	1.50	9.73
M12	#867	W2065	12.70	19.00	1.50	9.73
M12	#223 (SC)	W2247	12.70	20.00	1.50	9.73
M14	#868	W2024	14.70	22.00	1.50	11.38
5/8 (inch)	#869	W2066	16.51	25.40	2.00	12.90
M16	#870	W2025	16.70	24.00	1.50	13.41
11/16 (inch)	#871	W2086	18.16	25.40	2.50	14.50
M18	#872	W2034	18.70	26.00	1.50	14.76
M20	#873	W2069	20.70	28.00	1.50	16.76
M22	#874	W2046	22.70	30.00	2.00	18.74
M24	#875	W2067	24.70	32.00	2.00	20.11
M26	#239 (SC)	W2245	26.70	35	2.00	22.30
M27	#240 (SC)	W2233	27.20	36.00	2.00	23.30
M30	#242 (SC)	W2234	31.00	39.00	2.00	25.70
M32		W2155	32.70	40.00	2.00	31.80
M33	#243 (SC)	W2244	33.70	42.00	2.00	28.70
M36	#245 (SC)	W2248	36.70	46.00	2.00	31.10
M42	#247 (SC)	W2271	42.70	53.00	3.00	36.50

Note: SC=Self Centering / H=height


Bonded Seals

GM1000 Series




THREAD SIZE	AOK No.	ID ±0.20	OD ±0.20	H ± 0.15
M3	W2133	3.00	5.9	1.00
M4	W2134	4.00	7.90	1.00
M5	W2078	5.00	8.90	1.00
M6	W2076	6.00	9.90	1.00
M8	W2110	8.00	13.90	1.00
M10	W2177	10.00	16.90	1.50
M12	W2178	12.00	18.90	1.50
M14	W2079	14.00	21.90	1.50
M16	W2080	16.00	23.90	1.50
M18	W2125	18.00	26.90	2.00
M20	W2126	20.00	29.90	2.00
M22	W2179	22.00	31.90	2.00
M24	W2180	24.00	35.90	2.00
M27	W2302	27.00	40.90	2.00
M30	W2312	30.00	45.90	2.00
M36	W2316	36.00	54.90	2.50
M39	W2317	39.00	59.90	2.50
M42	W2318	42.00	64.90	2.50
M45	W2319	45.00	69.90	3.00
M48	W2320	48.00	74.90	3.00
M52	W2321	52.00	79.90	3.00

Bonded Seals


GM2000 Series					
					
THREAD SIZE	AOK No.	ID	OD ± 0.20	H ± 0.15	dn ± 0.15
M4	W2256	4.2 ± 0.20	7.9	1.00	3.10
M5	W2257	5.2 ± 0.20	8.90	1.00	4.00
M6	W2258	6.2 ± 0.20	9.90	1.00	4.70
M8	W2259	8.2 ± 0.20	13.90	1.50	6.40
M10	W2260	10.2 ± 0.25	16.90	1.50	8.10
M12	W2261	12.2 ± 0.25	18.90	1.50	9.80
M14	W2262	14.2 ± 0.25	21.90	2.00	11.50
M16	W2240	16.2 ± 0.25	23.90	2.50	13.50
M18	W2263	18.2 ± 0.35	26.90	2.50	14.80
M20	W2264	20.2 ± 0.35	29.90	2.50	16.80
M22	W2265	22.2 ± 0.35	31.90	2.50	18.80
M24	W2266	24.2 ± 0.35	35.90	3.00	20.20

Bonded Seals

600 Series						
						
Size Dash No.	AOK No.	Thread Major Diameter (inch)	Rubber I.D (inch) ± 0.008	Metal O.D (inch) ± 0.008	Metal Thickness (inch) ± 0.005	Rubber Thickness (inch) ± 0.008
#6	W2143	0.138	0.130	0.385	0.040	0.050
#8	W2241	0.164	0.156	0.385	0.040	0.050
#10	W2242	0.190	0.180	0.443	0.050	0.072
1/4	W2159	0.250	0.240	0.505	0.050	0.072
1/4 O.S.	W2199	0.250	0.245	0.531	0.050	0.072
5/16	W2030	0.312	0.301	0.603	0.050	0.072
3/8	W2328	0.375	0.364	0.666	0.050	0.072
7/16	W2039	0.438	0.427	0.760	0.050	0.072
1/2	W2035	0.500	0.490	0.880	0.050	0.072
9/16	W2249	0.562	0.552	1.067	0.050	0.072
5/8	W2250	0.625	0.615	1.193	0.050	0.072
3/4	W2251	0.750	0.740	1.322	0.064	0.096
7/8	W2252	0.875	0.864	1.510	0.064	0.096
1	W2174	1.000	0.988	1.760	0.064	0.096

Bonded Seals


610 Series Stat-O-Seal



Fastener Size mm	I.D. ± 0.25 mm (± .010 in.)	E Diameter ±0.25 mm (± .010 in.)	O.D. ± 0.25mm (± .010 in.)	Retainer Thickness ± 0.13 mm (± .005 in.)	Rubber Thickness ± 0.13 mm (± .005 in.)	Diametrical Clearance Max. mm (in.)
5	4.83 (.190)	6.40 (.252)	9.78 (.385)	1.02 (.040)	1.32 (.052)	0.25 (.010)
6	5.79 (.228)	7.80 (.307)	11.25 (.443)	1.27 (.050)	1.68 (.066)	0.25 (.010)
8	7.77 (.306)	10.57 (.416)	13.49 (.531)	1.27 (.050)	1.68 (.066)	0.38 (.015)
10	9.73 (.383)	12.24 (.482)	15.32 (.603)	1.27 (.050)	1.68 (.066)	0.38 (.015)
12	11.71 (.461)	15.52 (.611)	19.30 (.760)	1.27 (.050)	1.68 (.066)	0.38 (.015)
14	13.67 (.538)	17.60 (.693)	22.35 (.880)	1.27 (.050)	1.68 (.066)	0.38 (.015)
16	15.67 (.617)	19.18 (.755)	27.10 (1.067)	1.27 (.050)	1.68 (.066)	0.38 (.015)
20	19.66 (.774)	24.21 (.953)	33.38 (1.314)	1.63 (.064)	2.44 (.096)	0.38 (.015)
22	21.62 (.851)	27.38 (1.080)	31.50 (1.240)	1.27 (.050)	1.68 (.066)	

Bonded Seals

7500 Series



THREAD SIZE	AOK No.	ID	OD	H	dn
INCH		± 0.01 (inch)	± 0.01 (inch)	± 0.01 (inch)	± 0.01 (inch)
3/8	W2195	0.539	0.750	0.113	0.134
5/8	W2196	0.866	1.187	0.165	0.234
1 3/8	W2273	1.715	2.125	0.225	0.579
1	W2340	1.332	1.750	0.225	0.392
3/4	W2344	1.015	1.375	0.190	0.288
1/2	W2345	0.702	1.000	0.140	0.184
5/16	W2346	0.457	0.687	0.107	0.108
1/4	W2347	0.381	0.562	0.092	0.082
7/16	W2348	0.625	0.906	0.136	0.157
1 1/4	W2349	1.587	2.000	0.225	0.517
1 1/2	W2350	1.842	2.25	0.225	0.642


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1029	6.0 × 9.5 × 10.0	Alfo Romeo
	V1108	7.0 × 10.5 × 10.0	Alfo Romeo
	V1128	5.0 × 8.5 × 10.0	Alfo Romeo
	V1129	7.0 × 11.5 × 9.5	Alfo Romeo
	V1017	3.5 × 9.9 × 11.9	Benz
	V1019	8.0 × 16.0 × 12.7	Benz
	V1020	8.2 × 14.5 × 15 (IN)	Benz

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1021	9.2 × 14.5 × 15 (EX)	Benz
	V1024	11.0 × 15.5 × 16.0	Benz
	V1044	8.3 × 14.5 × 15.0	Benz
	V1159	8.0 × 11.5 × 10.75	Benz
	V1166	7.0 × 11.5 × 10.5	Benz
	V1171	7.8 × 14.5 × 15.0	Benz
	V1224	7.8 × 10.5 × 8.4	Benz


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1239	8.4 × 14.9 × 10.5	Benz
	V1309	11.0 × 15.7 × 14.5	Benz
	V1329	7.5 × 11.7 × 10.0	Benz
	V1134	5.0 × 9.4 × 17.5	BMW
	V1142	5.0 × 11.2 × 19.0	BMW
	V1161	6.0 × 9.5 × 10.0	BMW
	V1213	5.0 × 9.65 × 16.0	BMW

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1320	4.0 × 9.75 × 16.0	BMW
	V1321	4.3 × 8.8 × 18.0	BMW
	V1452	4.3 × 9.6 × 21.7	BMW
	V1037	8.5 × 12.5 × 10.0	Caterpillar
	V1101	8.0 × 12.4 × 9.0	Caterpillar
	V1126	7.5 × 11.3 × 28.8	Caterpillar
	V1127	8.9 × 14.2 × 31.0	Caterpillar


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1294	6.8 × 10.9 × 9.3	Caterpillar
	V1376	8.4 × 15.6 × 13.3	Caterpillar
	V1416	8.9 × 14.3 × 31.7	Caterpillar
	V1498	8.8 × 14.5 × 31.5	Caterpillar
	V1592	6.2 × 12.0 × 12.0	Caterpillar
	V1570	5.7 × 11.8 × 12.0	Caterpillar
	V1345	7.5 × 11.5 × 12.0	Chevrolet

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1415	7.75 × 14.10 × 12.95	Chevrolet
	V1455	3.9 × 9.8 × 17.8	Chevrolet
	V1007	7.0 × 12.5 × 13.0	Chrysler
	V1010	5.5 × 11.9 × 12	Chrysler
	V1013	5.0 × 10.8 × 10.0	Chrysler
	V1018	7.5 × 12.5 × 12.0	Chrysler
	V1035	7.0 × 13.2 × 13.0	Chrysler

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1046	7.0 × 12.8 × 13.0	Chrysler
	V1081	7.0 × 10.5 × 14.0	Chrysler
	V1096	6.0 × 11.75 × 18.5	Chrysler
	V1102	7.2 × 12.2 × 15.0	Chrysler
	V1103	7.1 × 11.8 × 12.0	Chrysler
	V1174	5.0 × 10.8 × 12.3	Chrysler

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1427	5.0 × 10.8 × 12.0	Chrysler
	V1429	6.6 × 12.45 × 12.0	Chrysler
	V1291	5.5 × 10.7 × 19.0	Chrysler
	V1306	7.0 × 13.0 × 26.5	Chrysler
	V1379	8.76 × 14.6 × 11.5	Chrysler
	V1459	7.0 × 13.05 × 13.0	Chrysler
	V1103	7.1 × 11.8 × 12.0	Cummins

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1110	9.2 × 15.0 × 15.8	Cummins
	V1111	7.3 × 13.75 × 19.2	Cummins
	V1146	9.0 × 15.5 × 28.8	Cummins
	V1220	7.1 × 13.6 × 18.4	Cummins
	V1256	8.0 × 15.7 × 28.5	Cummins
	V1312	6.5 × 12.2 × 14.2	Cummins
	V1313	6.3 × 12.2 × 12.4	Cummins

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1434	10.2 × 13.4 × 14.5	Cummins
	V1317	6.2 × 12.5 × 16.0	Cummins
	V1318	6.2 × 12.5 × 16.0	Cummins
	V1331	7.0 × 11.5 × 12.6	Cummins
	V1486	8.4 × 14.0 × 9.7	Cummins
	V1488	8.3 × 14.0 × 12.8	Cummins
	V1545	9.10 × 14.0 × 51.3	Cummins

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1564	9.5 × 15.7 × 13.7	Cummins
	V1086	4.5 × 9.0 × 9.5	Daewoo
	V1113	5.0 × 9.5 × 9.5	Daewoo
	V1155	5.0 × 10.7 × 15.5	Daewoo
	V1255	5.0 × 10.7 × 15.0	Daewoo
	V1060	6.0 × 11.95 × 15.0	Daihatsu
	V1261	4.0 × 9.5 × 10.0	Daihatsu


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1292	4.1 × 9.5 × 10.5	Daihatsu
	V1327	7.2 × 11.8 × 12.4	Daihatsu
	V1546	8.2 × 12.9 × 15.3	Detroit Diesel
	V1128	5.0 × 8.5 × 10.0	Fiat
	V1129	7.0 × 11.5 × 9.5	Fiat
	V1130	3.5 × 7.5 × 8.0	Fiat
	V1211	7.0 × 10.5 × 10.5	Fiat

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1323	5.0 × 9.7 × 19.0	Fiat
	V1593	4.7 × 8.8 × 18.0	Fiat
	V1045	8.0 × 14.7 × 23.0	Ford
	V1071	5.0 × 11.7 × 20.0	Ford
	V1141	7.0 × 11.7 × 18.0	Ford
	V1145	6.1 × 14.5 × 26.0	Ford
	V1168	6.1 × 10.9 × 20.5	Ford


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1169	6.2 × 12.4 × 14.5	Ford
	V1178	6.0 × 12.0 × 20.3	Ford
	V1190	6.0 × 12.3 × 21.3	Ford
	V1191	6.0 × 12.3 × 21.3	Ford
	V1195	4.8 × 9.2 × 17.5	Ford
	V1216	4.6 × 9.2 × 13.8	Ford
	V1230	5.5 × 12.3 × 18.5	Ford

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1231	4.5 × 11.0 × 18.0	Ford
	V1243	6.1 × 11.8 × 16.4	Ford
	V1273	5.0 × 10.7 × 16.0	Ford
	V1291	5.5 × 10.7 × 19.0	Ford
	V1301	6.0 × 12.3 × 20.5	Ford
	V1316	5.0 × 10.5 × 18.2	Ford

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1322	4.5 × 10.5 × 17.0	Ford
	V1324	5.7 × 11.9 × 18.5	Ford
	V1369	7.8 × 11.3 × 13.6	Ford
	V1376	8.4 × 15.6 × 13.3	Ford
	V1377	7.7 × 12.57 × 13.3	Ford
	V1412	6.4 × 11.6 × 9.3	Ford



Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1428	7.36 × 12.32 × 12.32	Ford
	V1462	7.7 × 13.0 × 12.7	Ford
	V1517	6.9 × 12.5 × 24.8	Ford
	V1523	4.3 × 9.0 × 17.0	Ford
	V1541	5.0 × 9.7 × 16.5	Ford
	V1542	5.0 × 9.7 × 21.2	Ford
	V1543	5.2 × 9.7 × 21.2	Ford

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1544	4.4 × 9.7 × 21.5	Ford
	V1586	4.5 × 10.0 × 16.8	Ford
	V1593	4.7 × 8.8 × 18.0	Ford
	V1002	6.0 × 11.3 × 10.0	GM
	V1018	7.5 × 12.5 × 12.0	GM
	V1035	7.0 × 13.2 × 13.0	GM
	V1055	6.0 × 11.3 × 10.0	GM

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1081	7.0 × 10.5 × 14.0	GM
	V1082	8.0 × 14.0 × 14.3	GM
	V1089	5.5 × 10.5 × 9.8	GM
	V1095	8.2 × 13.2 × 14.3	GM
	V1096	6.0 × 11.75 × 18.5	GM
	V1112	5.0 × 10.7 × 18.0	GM
	V1117	7.9 × 13.7 × 14.0	GM





Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1123	7.0 × 11.5 × 11.0	GM
	V1132	6.6 × 10.7 × 9.4	GM
	V1187	7.0 × 12.4 × 22.6	GM
	V1189	7.5 × 14 × 12.5	GM
	V1192	7.0 × 14.0 × 23.0	GM
	V1247	7.0 × 12.7 × 13.6	GM
	V1285	5.0 × 9.5 × 16.0	GM


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1286	7.0 × 12.7 × 22.5	GM
	V1287	5.7 × 11.25 × 16.3	GM
	V1288	6.0 × 11.0 × 14.5	GM
	V1302	6.1 × 11.45 × 12.0	GM
	V1303	5.0 × 9.6 × 16.0	GM
	V1304	7.3 × 11.9 × 12.0	GM

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	1305	7.2 × 13.8 × 12.5	GM
	1306	7.0 × 13.0 × 26.5	GM
	V1325	6.8 × 13.85 × 12.3	GM
	V1369	7.8 × 11.3 × 13.6	GM
	V1375	5.0 × 8.5 × 10.0	GM
	V1379	8.76 × 14.6 × 11.5	GM
	V1422	7.5 × 10.8 × 11.5	GM

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1426	8.71 × 15.32 × 13.0	GM
	V1430	8.0 × 12.06 × 12.2	GM
	V1431	8.0 × 14.22 × 11.8	GM
	V1445	4.5 × 10.7 × 19.8	GM
	V1460	7.0 × 12.3 × 12.7	GM
	V1463	7.0 × 13.0 × 12.7	GM
	V1508	5.9 × 11.6 × 14.5	GM

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1515	6.0 × 10.8 × 9.8	GM
	V1559	8.75 × 16.0 × 11.5	GM
	V1587	4.0 × 9.8 × 18.0	GM
	V1073	8.0 × 12.8 × 14.0	Hino
	V1074	9.0 × 15.8 × 14.5	Hino
	V1076	11.0 × 15.8 × 14.5	Hino
	V1147	8.5 × 15.7 × 15.0	Hino

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1248	7.8 × 12.7 × 12.0	Hino
	V1310	7.5 × 12.7 × 10.0	Hino
	V1360	7.0 × 11.7 × 13.0	Hino
	V1012	5.0 × 10.8 × 10.0	Honda
	V1040	6.0 × 10.5 × 10.5	Honda
	V1042	4.5 × 7.5 × 8.0	Honda
	V1049	6.0 × 11.9 × 9.5	Honda


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1061	5.5 × 9.0 × 8.0(IN)	Honda
	V1062	6.0 × 10.4 × 9.0	Honda
	V1153	6.0 × 11.9 × 12.0	Honda
	V1328	3.5 × 7.0 × 8.0	Honda
	V1354	4.0 × 7.0 × 8.0	Honda
	V1393	6.0 × 11.9 × 10.0	Honda
	V1531	4.5 × 11.0 × 10.0	Honda

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1010	5.5 × 11.9 × 12.0	Hyundai
	V1013	5.0 × 10.8 × 10.0	Hyundai
	V1015	7.5 × 15 × 13.0	Hyundai
	V1048	5.0 × 9.7 × 11.5	Hyundai
	V1157	5.0 × 8.5 × 16.0	Hyundai
	V1499	4.5 × 9.7 × 12.0	Hyundai
	V1572	4.1 × 9.7 × 12.0	Hyundai

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1445	4.5 × 10.7 × 19.8	Hyundai
	V1002	6.0 × 11.3 × 10.0	Isuzu
	V1012	5.0 × 10.8 × 10.0	Isuzu
	V1033	7.0 × 10.7 × 14.5	Isuzu
	V1034	5.0 × 10.8 × 10.0	Isuzu
	V1039	4.0 × 8.0 × 8.0	Isuzu
	V1047	5.0 × 10.8 × 10.0	Isuzu


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1051	7.0 × 12.7 × 16.5	Isuzu
	V1055	6.0 × 11.3 × 10.0	Isuzu
	V1064	8.0 × 13.5 × 17.0	Isuzu
	V1065	7.0 × 12.5 × 16.0	Isuzu
	V1066	6.0 × 11.3 × 10.0	Isuzu
	V1079	8.5 × 13.5 × 15.0	Isuzu
	V1122	8.0 × 14.0 × 18.5	Isuzu


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1223	6.0 × 11.5 × 11.2	Isuzu
	V1263	8.5 × 13.5 × 16.5	Isuzu
	V1264	10.3 × 16.0 × 15.0	Isuzu
	V1267	10.0 × 17.7 × 20.5	Isuzu
	V1272	10.0 × 15.8 × 14.5	Isuzu
	V1368	5.0 × 9.9 × 18.8	Isuzu
	V1375	5.0 × 8.5 × 10.0	Isuzu

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1144	8.9 × 14.25 × 12.0	John Deere
	V1164	13.5 × 15.0 × 14.5	John Deere
	V1319	9.0 × 12.5 × 12.0	John Deere
	V1451	7.2 × 13.2 × 22.5	John Deere
	V1481	8.3 × 15 × 20.3	John Deere
	V1500	6.5 × 9.5 × 12.2	John Deere
	V1565	6.6 × 10.6 × 15.0	John Deere

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1588	7.8 × 15.0 × 22.4	John Deere
	V1595	6.10 × 12.0 × 7.7	John Deere
	V1023	4.6 × 8.2 × 8.5	Kawasaki
	V1022	7.7 × 13.95 × 13.0	KIA
	V1029	6.0 × 9.5 × 10.0	KIA
	V1046	7.0 × 12.8 × 13.0	KIA
	V1052	7.0 × 12.8 × 10.0	KIA

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1053	7.0 × 13.9 × 11.0	KIA
	V1058	6.0 × 11.95 × 13.0	KIA
	V1260	5.8 × 11.8 × 19.0	KIA
	V1371	7.5 × 12.2 × 13.0	KIA
	V1001	7.0 × 12.0 × 13.7	Komatsu
	V1073	8.0 × 12.8 × 14.0	Komatsu
	V1103	7.1 × 11.8 × 12.0	Komatsu

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1249	7.5 × 15.95 × 14.0	Komatsu
	V1250	7.8 × 11.7 × 10.5	Komatsu
	V1265	10.0 × 17.7 × 26.0	Komatsu
	V1315	8.7 × 13.6 × 11.5	Komatsu
	V1113	5.0 × 9.5 × 9.7	Land Rover
	V1229	6.0 × 11.8 × 15.0	Land Rover
	V1210	7.5 × 11.7 × 22.0	MAN


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1212	7.5 × 11.25 × 11.5	MAN
	V1598	5.9 × 10.6 × 12.0	MAN
	V1007	7.0 × 12.5 × 13.0	Mazda
	V1008	7.0 × 13.9 × 13.0	Mazda
	V1034	5.0 × 10.8 × 10.0	Mazda
	V1047	5.0 × 10.8 × 10.0	Mazda
	V1053	7.0 × 13.9 × 11.0	Mazda

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1054	6.0 × 11.9 × 10.0	Mazda
	V1058	6.0 × 11.95 × 13.0	Mazda
	V1059	8.0 × 13.95 × 14.5	Mazda
	V1089	5.5 × 10.5 × 9.8	Mazda
	V1118	8.0 × 13.95 × 14.5	Mazda
	V1231	4.5 × 11.0 × 18.0	Mazda
	V1271	7.0 × 12.5 × 14.0	Mazda

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1282	8.0 × 13.8 × 10.0	Mazda
	V1283	8.0 × 13.8 × 13.5	Mazda
	V1322	4.5 × 10.5 × 17.0	Mazda
	V1010	5.5 × 11.9 × 12.0	Mitsubishi
	V1013	5.0 × 10.8 × 10.0	Mitsubishi
	V1015	7.5 × 15.0 × 13.0	Mitsubishi
	V1046	7.0 × 12.8 × 13.0	Mitsubishi


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1050	3.7 × 7.4 × 7.0	Mitsubishi
	V1097	7.0 × 12.9 × 11.0	Mitsubishi
	V1148	7.3 × 12.95 × 13.7	Mitsubishi
	V1152	4.5 × 9.0 × 11.5	Mitsubishi
	V1275	9.0 × 14.95 × 13.5	Mitsubishi
	V1023	4.6 × 8.2 × 8.5	Motorcycle
	V1038	5.0 × 9.35 × 9.0	Motorcycle

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1039	4.0 × 8.0 × 8.0	Motorcycle
	V1041	4.5 × 8.0 × 8.0	Motorcycle
	V1042	4.5 × 7.5 × 8.0	Motorcycle
	V1068	4.5 × 7.9 × 8.5	Motorcycle
	V1090	4.5 × 7.7 × 8.2	Motorcycle
	V1098	4.2 × 7.4 × 8.5	Motorcycle
	V1136	4.4 × 7.4 × 8.3	Motorcycle

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1137	5.0 × 10.3 × 9.5	Motorcycle
	V1150	4.5 × 7.6 × 8.1	Motorcycle
	V1156	4.5 × 8.3 × 8.0	Motorcycle
	V1175	3.5 × 7.4 × 8.6	Motorcycle
	V1184	3.6 × 7.3 × 8.0	Motorcycle
	V1185	3.5 × 7.0 × 8.0	Motorcycle
	V1186	7.0 × 12.8 × 9.0	Motorcycle

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1193	4.1 × 8.35 × 8.0	Motorcycle
	V1200	3.6 × 7.4 × 8.0	Motorcycle
	V1246	4.0 × 7.3 × 8.3	Motorcycle
	V1274	6.0 × 9.8 × 9.6	Motorcycle
	V1293	4.5 × 7.5 × 8.5	Motorcycle
	V1299	5.2 × 10.75 × 8.8	Motorcycle
	V1307	5.0 × 7.5 × 8.0	Motorcycle

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1332	5.7 × 10.5 × 10.0	MWM
	V1114	8.6 × 15.1 × 28.5	Navistar
	V1115	7.2 × 13.9 × 28.5	Navistar
	V1116	7.5 × 14.0 × 27.5	Navistar
	V1151	9.0 × 15.3 × 32.7	Navistar
	V1367	7.0 × 13.3 × 21.0	Navistar
	V1001	7.0 × 12.0 × 13.7	Nissan

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1004	4.5 × 9.3 × 11.5	Nissan
	V1005	6.0 × 11.7 × 15.0	Nissan
	V1010	5.5 × 11.9 × 12.0	Nissan
	V1016	7.0 × 14.2 × 19.5	Nissan
	V1033	7.0 × 10.7 × 14.50	Nissan
	V1048	5.0 × 9.7 × 11.5	Nissan
	V1056	8.0 × 13.8 × 14.0	Nissan

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1057	6.0 × 10.7 × 12.0	Nissan
	V1063	6.0 × 10.5 × 11.5	Nissan
	V1075	9.0 × 14.8 × 14.5	Nissan
	V1084	11.0 × 16.7 × 14.5	Nissan
	V1087	8.0 × 14.0 × 20.5	Nissan
	V1091	7.0 × 11.8 × 11.5	Nissan
	V1092	6.0 × 10.7 × 12.0	Nissan

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1099	5.0 × 9.7 × 11.5	Nissan
	V1135	9.0 × 14.7 × 14.0	Nissan
	V1140	11.0 × 16.95 × 14.5	Nissan
	V1149	7.2 × 12.2 × 19.0	Nissan
	V1258	7.0 × 13.6 × 16.0	Nissan
	V1314	6.9 × 14.2 × 20.7	Nissan
	V1326	9.0 × 14.95 × 16.5	Nissan

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1353	4.0 × 8.8 × 11.3	Nissan
	V1496	4.0 × 7.5 × 7.6	Nissan
	V1089	5.5 × 10.5 × 9.8	Opel
	V1143	5.0 × 10.6 × 15.5	Opel
	V1165	5.0 × 8.5 × 16.5	Opel
	V1167	4.7 × 11.3 × 20.0	Opel
	V1174	5.0 × 10.8 × 12.3	Opel

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1196	5.5 × 10.8 × 10.2	Opel
	V1199	4.0 × 7.5 × 15.4	Opel
	V1095	8.2 × 13.2 × 14.3	Perkins
	V1102	7.2 × 12.2 × 15.0	Perkins
	V1218	8.2 × 12.7 × 17.0	Perkins
	V1219	8.6 × 12.7 × 17.0	Perkins
	V1330	8.6 × 12.9 × 14.6	Perkins

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1333	8.58 × 12.3 × 15.1	Perkins
	V1380	7.87 × 19.18 × 14.22	Perkins
	V1029	6.0 × 9.5 × 10.0	Peugeot
	V1160	5.0 × 9.6 × 16.5	Peugeot
	V1228	6.0 × 9.5 × 16.0	Peugeot
	V1244	5.2 × 8.4 × 17.5	Peugeot
	V1561	4.10 × 8.5 × 14.1	Peugeot

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1085	4.0 × 9.7 × 16.5	Proton
	V1582	5.2 × 11.0 × 17.2	PSA (Peugeot)
	V1596	5.5 × 8.5 × 16.0	PSA (Peugeot)
	V1306	7.0 × 13.0 × 26.5	RAM
	V1029	6.0 × 9.5 × 10.0	Renault
	V1094	4.5 × 10.75 × 16	Renault
	V1104	4.5 × 10.5 × 16.5	Renault


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1139	4.5 × 10.85 × 14.5	Renault
	V1198	4.5 × 8.0 × 8.0	Renault
	V1308	5.0 × 10.7 × 20.0	Renault
	V1520	5.0 × 11.0 × 16.5	Renault
	V1585	7.5 × 10.0 × 10.0	Renault
	V1620	4.2 × 8.8 × 9.6	Renault
	V1531	4.5 × 11.0 × 10.0	Rover

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1207	6.5 × 11.65 × 10.8	RVI
	V1208	6.6 × 11.6 × 10.80	RVI
	V1209	6.5 × 11.15 × 10.0	RVI
	V1214	10.5 × 16.6 × 14.5	RVI
	V1037	8.5 × 12.5 × 10	Scania
	V1093	9.3 × 13.5 × 14.0	Scania
	V1259	5.2 × 10.7 × 8.2	Subaru

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1335	4.5 × 9.7 × 8.10	Subaru
	V1054	6.0 × 11.9 × 10.0	Suzuki
	V1086	4.5 × 9.0 × 9.5	Suzuki
	V1373	7.7 × 13.25 × 13.4	Suzuki
	V1538	4.7 × 8.8 × 9.5	Suzuki
	V1539	4.3 × 8.8 × 9.5	Suzuki


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1225	6.0 × 10.7 × 9.0	TATA
	V1002	6.0 × 11.3 × 10.0	Toyota
	V1003	8.0 × 13.8 × 14.5	Toyota
	V1031	7.0 × 14.0 × 12.0	Toyota
	V1034	5.0 × 10.8 × 10.0	Toyota
	V1047	5.0 × 10.8 × 10.0	Toyota

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1052	7.0 × 12.8 × 10.0	Toyota
	V1055	6.0 × 11.3 × 10.0	Toyota
	V1059	8.0 × 13.95 × 14.5	Toyota
	V1118	8.0 × 13.95 × 14.5	Toyota
	V1121	6.5 × 14.0 × 24.0	Toyota
	V1124	4.5 × 10.0 × 10.25	Toyota

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1125	5.0 × 10.0 × 10.0	Toyota
	V1131	4.0 × 9.5 × 10.25	Toyota
	V1133	4.5 × 9.5 × 9.75	Toyota
	V1202	6.0 × 11.95 × 19.5	Toyota
	V1203	7.0 × 11.95 × 17.0	Toyota
	V1232	5.0 × 10.5 × 11.0	Toyota

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1251	8.0 × 13.8 × 9.5	Toyota
	V1261	4.0 × 9.5 × 10.0	Toyota
	V1334	4.9 × 10.6 × 11.0	Toyota
	V1381	5.0 × 10.7 × 9.2	Toyota
	V1583	4.8 × 11.0 × 11.0	Toyota
	V1029	6.0 × 9.5 × 10.0	Volkswagen


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1067	7.0 × 10.5 × 10.0	Volkswagen
	V1108	7.0 × 10.5 × 10.0	Volkswagen
	V1162	7.0 × 10.5 × 10.0	Volkswagen
	V1356	4.5 × 9.5 × 9.5	Volvo
	V1453	13.4 × 17.8 × 15.0	Waukesha
	V1454	13.6 × 17.8 × 15.0	Waukesha


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1038	5.0 × 9.35 × 9.0	Yamaha
	V1039	4.0 × 8.0 × 8.0	Yamaha
	V1041	4.5 × 8.0 × 8.0	Yamaha
	V1487	4.5 × 9.4 × 18.8	Yamaha
	V1011	7.3 × 13.8 × 11.5	Other
	V1025	7.0 × 12.5 × 22.5	Other


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1026	5.4 × 9.5 × 8.8	Other
	V1027	7.2 × 13.9 × 14.0	Other
	V1028	9.0 × 16.2 × 8.0	Other
	V1030	5.0 × 10.7 × 10.0	Other
	V1032	5.7 × 13.95 × 13.0	Other
	V1036	3.9 × 9.53 × 11.2	Other
	V1043	6.0 × 10.3 × 11.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1069	4.0 × 7.5 × 9.8	Other
	V1070	6.0 × 13.70 × 24.5	Other
	V1072	6.0 × 14.0 × 13.0	Other
	V1080	8.0 × 12.3 × 12.5	Other
	V1083	8.5 × 14.5 × 12.0	Other
	V1085	4.0 × 9.7 × 16.5	Other
	V1088	7.2 × 12.5 × 12.0	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1105	6.8 × 13.95 × 11.3	Other
	V1119	8.5 × 16.75 × 17.5	Other
	V1120	7.5 × 12.2 × 12.5	Other
	V1138	5.0 × 10.4 × 9.3	Other
	V1154	8.0 × 10.5 × 12.3	Other
	V1158	7.0 × 11.6 × 9.5	Other
	V1173	8.8 × 12.25 × 32.7	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1176	10.3 × 15.75 × 15.0	Other
	V1179	8.5 × 13.5 × 17.0	Other
	V1180	8.0 × 13.3 × 13.0	Other
	V1182	7.9 × 13.2 × 12.0	Other
	V1183	7.0 × 11.0 × 14.5	Other
	V1201	7.7 × 12.2 × 10.5	Other
	V1204	5.0 × 9.75 × 17.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1205	9.0 × 12.7 × 10.5	Other
	V1215	5.9 × 9.3 × 9.0	Other
	V1217	10.7 × 16.4 × 12.3	Other
	V1221	6.5 × 14.2 × 14.4	Other
	V1226	8.5 × 14.0 × 13.0	Other
	V1233	8.0 × 20.1 × 15.0	Other
	V1234	5.8 × 10.7 × 9.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1235	8.6 × 12.7 × 13.0	Other
	V1237	7.3 × 9.8 × 13.0	Other
	V1238	4.5 × 10.2 × 15.5	Other
	V1240	6.5 × 11.8 × 9.6	Other
	V1241	8.2 × 15.6 × 13.8	Other
	V1242	8.3 × 15.5 × 12.4	Other
	V1245	4.0 × 7.4 × 19.5	Other


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1252	8.2 × 14.5 × 15.5	Other
	V1253	9.0 × 19.0 × 21.0	Other
	V1254	6.8 × 11.4 × 10.0	Other
	V1257	8.2 × 14.0 × 12.0	Other
	V1266	8.0 × 13.0 × 11.2	Other
	V1268	3.2 × 8.8 × 10.7	Other
	V1280	8.0 × 13.7 × 13.0	Other



Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1281	5.3 × 9.2 × 10.9	Other
	V1284	8.0 × 12.2 × 12.0	Other
	V1298	7.6 × 11.1 × 12.3	Other
	V1336	6.2 × 12.2 × 14.5	Other
	V1337	5.0 × 9.75 × 21.7	Other
	V1338	4.6 × 10.85 × 10.2	Other
	V1339	6.8 × 12.65 × 18.0	Other




Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1340	5.6 × 10.5 × 11.6	Other
	V1341	5.0 × 10.6 × 16.0	Other
	V1342	7.2 × 11.8 × 13.0	Other
	V1343	7.4 × 12.2 × 12.3	Other
	V1344	6.3 × 12.5 × 12.0	Other
	V1346	7.7 × 12.2 × 12.5	Other
	V1347	7.5 × 12.7 × 11.5	Other



Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1349	8.2 × 16.0 × 17.0	Other
	V1350	5.8 × 12.25 × 16.0	Other
	V1351	4.0 × 7.8 × 9.7	Other
	V1352	8.55 × 11.75 × 10.5	Other
	V1357	6.4 × 10.3 × 11.0	Other
	V1358	13.6 × 18.05 × 15.1	Other
	V1359	9.0 × 13.6 × 12.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1361	6.0 × 10.58 × 9.7	Other
	V1362	6.6 × 13.0 × 9.7	Other
	V1363	6.0 × 13.0 × 9.7	Other
	V1364	8.5 × 16.55 × 17.7	Other
	V1365	7.0 × 11.7 × 9.5	Other
	V1366	4.5 × 9.1 × 11.3	Other
	V1370	8.0 × 13.8 × 12.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1371	7.5 × 12.2 × 13.0	Other
	V1372	8.5 × 12.4 × 13.3	Other
	V1378	9.0 × 13.0 × 13.0	Other
	V1382	6.9 × 10.23 × 11.7	Other
	V1383	5.3 × 9.6 × 11.5	Other
	V1384	7.7 × 13.36 × 12.7	Other
	V1385	9.8 × 14.9 × 11.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1386	5.8 × 10.5 × 8.8	Other
	V1387	6.2 × 11.6 × 12.7	Other
	V1388	10.0 × 18.5 × 16.8	Other
	V1389	4.2 × 9.5 × 9.8	Other
	V1390	7.5 × 13.65 × 18.5	Other
	V1391	4.9 × 9.65 × 13.5	Other
	V1392	3.6 × 7.4 × 8.0	Other


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1413	4.7 × 9.7 × 8.0	Other
	V1414	4.8 × 10.85 × 16.0	Other
	V1417	6.5 × 11.15 × 10.0	Other
	V1418	5.0 × 11.75 × 20.0	Other
	V1419	4.5 × 10.7 × 19.0	Other
	V1420	7.5 × 13.4 × 13.3	Other
	V1421	8.4 × 13.0 × 13.0	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1424	5.8 × 11.7 × 15.7	Other
	V1425	7.8 × 12.6 × 9.3	Other
	V1432	4.7 × 10.9 × 10.2	Other
	V1433	4.5 × 9.3 × 10.3	Other
	V1436	4.9 × 10.9 × 10.3	Other
	V1450	4.4 × 7.5 × 8.4	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1458	5.0 × 10.7 × 9.3	Other
	V1461	9.0 × 10.0 × 14.0	Other
	V1464	7.5 × 13.0 × 11.0	Other
	V1465	8.3 × 14.0 × 11.0	Other
	V1467	7.5 × 10.0 × 9.6	Other
	V1468	7.4 × 9.8 × 10.1	Other


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1469	8.1 × 10.0 × 9.7	Other
	V1470	6.6 × 10.0 × 9.7	Other
	V1480	4.5 × 11.0 × 13.7	Other
	V1484	7.7 × 12.0 × 10.0	Other
	V1485	6.6 × 10.0 × 11.0	Other
	V1489	7.0 × 10.0 × 14.0	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1490	7.2 × 13.0 × 12.0	Other
	V1491	8.0 × 11.6 × 13.0	Other
	V1492	8.0 × 12.6 × 13.0	Other
	V1493	8.5 × 14.6 × 12.0	Other
	V1494	9.4 × 14.6 × 15.5	Other
	V1497	7.8 × 12.4 × 11.0	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1502	6.7 × 11.7 × 9.4	Other
	V1503	7.7 × 12.9 × 12.0	Other
	V1509	12.8 × 17.0 × 10.0	Other
	V1510	7.6 × 13.9 × 13.0	Other
	V1511	7.6 × 11.9 × 12.7	Other
	V1512	7.0 × 11.4 × 9.0	Other


Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1513	7.0 × 13.4 × 12.5	Other
	V1516	5.8 × 11.7 × 16.6	Other
	V1518	9.0 × 14.0 × 10.0	Other
	V1519	7.3 × 14.0 × 18.5	Other
	V1521	5.0 × 11.0 × 10.0	Other
	V1522	9.0 × 14.0 × 12.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1524	7.8 × 17.0 × 21.4	Other
	V1525	7.5 × 12 × 11.5	Other
	V1526	7.2 × 12.0 × 10.7	Other
	V1527	5.0 × 11.0 × 19.4	Other
	V1530	4.8 × 11.0 × 10.0	Other
	V1532	7.3 × 11.7 × 18.0	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1533	7.5 × 12.0 × 13.5	Other
	V1534	4.0 × 8.5 × 11.5	Other
	V1537	5.3 × 8.4 × 8.5	Other
	V1540	8.7 × 15.0 × 13.2	Other
	V1547	6.0 × 10.3 × 9.5	Other
	V1548	5.0 × 10.1 × 21.0	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1549	7.0 × 12.4 × 22.5	Other
	V1550	5.0 × 11.0 × 13.0	Other
	V1551	5.0 × 10.7 × 16.3	Other
	V1552	5.2 × 10.7 × 10.0	Other
	V1553	3.8 × 7.3 × 10.3	Other
	V1556	4.6 × 10.7 × 10.3	Other



Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1557	5.0 × 9.8 × 18.8	Other
	V1558	4.8 × 10.6 × 19.8	Other
	V1560	8.0 × 13.8 × 12.5	Other
	V1562	8.5 × 12.1 × 11.0	Other
	V1575	5.2 × 12.0 × 18.2	Other
	V1580	7.7 × 11.0 × 11.5	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1581	7.8 × 13.0 × 11.5	Other
	V1584	10.8 × 16.0 × 14.7	Other
	V1589	6.6 × 12.0 × 11.0	Other
	V1590	4.2 × 8.9 × 11.0	Other
	V1591	8.2 × 15.0 × 34.0	Other
	V1597	4.2 × 10.8 × 19.6	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1604	4.8 × 10.5 × 16.0	Other
	V1614	6.7 × 12.0 × 9.5	Other
	V1617	6.5 × 10.0 × 9.5	Other
	V1618	8.6 × 11.0 × 13.1	Other
	V1619	7.5 × 10.0 × 9.7	Other
	V1621	4.0 × 9.5 × 15.3	Other

Valve Stem Seal

Photo	AOK No.	Dimension	Applicable to
	V1622	6.0 × 9.2 × 13.0	Other
	V1628	8.65 × 12.0 × 13.0	Other
	V1629	4.6 × 9.25 × 11.60	Other



金典興企業有限公司

Aok Valve Stem Seals LTD

No.24-6, Nankang 3th Rd., Nantou City 54067, Taiwan

Tel: 886-49-2263777 / Fax: 886-49-2263776

E-mail: sales@aok-oilseal.com